



# बडिगाड गाउँपालिका गाउँ कार्यपालिकाको कार्यालय

ग्वालिचौर, बागलुङ्ग



मो.नं.९८५७६७३९९९  
९८५७६७३९९९

गण्डकी प्रदेश नेपाल

पत्र संख्या:०७९/०८०  
च.नं.

## क्याटलग सपिङ्ग विधिबाट सवारी साधन खरीदक सम्बन्धि सूचना। ( प्रथम पटक प्रकाशन मिति २०७९/५/२७ )

यस कार्यालयको स्वीकृत वार्षिक कार्यक्रम अनुसार कार्यालयलाई आवश्यक पर्ने देहाय बमोजिमको सवारी साधन सार्वजनिक खरीद ऐन, २०६३ को दफा ८ को उपदफा (१) क (८) तथा सार्वजनिक खरीद नियमावली, २०६४ को नियम ३१ख बमोजिम खरीद गर्न त्यस्तो सवारी साधन उत्पादन गर्ने ईच्छुक कम्पनी वा सो को आधिकारीक बिक्रेताले आ-आफ्नो फर्म दर्ता, मु.अ. कर दर्ता, आ.व.२०७७/०७८ को कर चुक्ता प्रमाण पत्र र manufactures's latter of authorization का प्रमाणित प्रतिलिपीहरु समाबेस गरी सूचिकृत हुन सार्वजनिक खरीद ऐन, २०६३ र सार्वजनिक खरीद नियमाली, २०६४ बमोजिमका बिबरण संलग्न गरी मिति २०७९/६/२ गते भित्र यस कार्यालयमा निवेदन दर्ता गराउनु हुन सम्बन्धित सबैको जानकारीको लागि यो सूचना प्रकाशित गरीएको छ।



सि.नं.	सवारी साधनको किसिम	सवारी साधनको संक्षिप्त विवरण	कैफियत
१	4wd double cab pickup. Quantity: 1	Engine: More than 2100 CC, 4 Stroke, 4 cylinder, water cooled diesel Engine, developing rated maximum power output not less than 40 kw and maximum torque not less than 190 N-m at governed rpm engine equipped with accessories for efficient full load operation of 4WD Pickup at operating condition, cold starting device, direct electric starting system, heavy duty fuel filter. Transmission: Mechanical five forward speed and one reverse, all forward synchromesh, 4WD engaged through control at driver seat.	संक्षिप्त विवरणमा उल्लेख नभएको कुराहरु स्वीकृत स्पेशिफिकेशन बमोजिम हुने।
२	Motorcycle Quantity: 6	<ul style="list-style-type: none"><li>Type: Motorcycle with Sturdy design.</li><li>Engine : 150cc (<math>\pm 1cc</math>), 4- stroke, single cylinder, air cooled, Power output at governed RPM: Not less than 12BHP, Torque output at governed RPM: Not less than 12Nm.</li><li>Transmission: Manual shift, 4 Speed.</li></ul>	संक्षिप्त विवरणमा उल्लेख नभएको कुराहरु स्वीकृत स्पेशिफिकेशन बमोजिम हुनेछ।

वेतनास्थायण मण्डारी  
प्रमुख प्रशासकीय अधिकृत

प्रमुख प्रशासकीय अधिकृत


**Technical specification for 4wd double cab pickup**

Quantity:-01unit

S.N.	Criteria	Requirement	Offered Specification
1	General	Four Door, Rihgt Hand Drive diesel engine <b>4WD</b> Double Cab pickup suitable for driving both in ON ROAD conditions providing smooth economic performance and in OFF-ROAD conditions capable of delivering strong adequate traction and stability needed for safe driving in rough and hilly road conditions in Nepal at an altitude upto 2000 meter and in ambient temperature between -5 to 50 degree centigrade. <b>Gross Vehicle Weight (GVW) of the vehicle shall not be less than 2700 kg and shall have seating capacity for 5 passengers including driver.</b>	
2	Engine	4-stroke, 4 cylinder (more than 2100cc) water cooled diesel engine, <b>developing maximum rated power output not less than 40 KW and Maximum Torque should not be less than 190 Nm at governed rpm</b> engine equipped with accessories for efficient full load operation of 4WD Pickup at operating conditions, cold starting device, direct electric starting system, heavy duty fuel filter,	
3	Gauges	To include ammeter, water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, signals for 4WD, door lock signal etc.	
4	Emission standard	The emission standard of the offered vehicle must be in compliance with or superior than the applicable <b>Standard as prescribed by Nepal Vehicle Mass Emission Standard 2069, which is to be certified by Department of Transport Management.</b>	
5	Clutch	<b>Single plate, Dry Friction</b>	
6	Transmission	<b>Mechanical Five forward speed and one reverse,</b> all forward synchromesh, 4WD engaged through control at driver seat.	
7	Ground clearance	High ground clearance preferred, <b>minimum 200mm</b>	
8	Suspension	Double wishbone/ Torsion bar/ Telescopic shock absorber/Anti roll bar/stabilizer bar/hydraulic double acting/ five link type suspension/Macpherson/ Multi-link coil/leaf spring.	
9	Turning Radius	Maximum Turning Radius <b>not more than 7m.</b>	
10	Wheels and Tires	Standard type Road and cross country type <b>Wheel Base : Not less than 2900 mm</b>	
11	Steering	<b>Power assisted/Power steering</b>	
12	Brakes	Front : <b>Ventilated disc type</b> Rear : <b>Disc/Drum type</b> Hydraulic operated on all wheels, and parking brake, dual circuit preffered.	
13	Cab	4 side door, all metallic cab with insulated rook, right hand drive, laminated glass windscreen, washers and wipers, glass window on doors, through ventilation, comfortable and adjustable seats for driver and co-passenger. Floor mats, two sun visors, and two side view mirrors. Rear Body to be metallic, pickup type with drop type tail board.	 <p>बडिगाड गाउँपालिका गाउँ कार्यपालिकाको कार्यालय गण्डकी प्रदेश, नेपाल</p>
14	Chasis and frame	<ul style="list-style-type: none"> <li>Steel, heavy duty suitable for rough road conditions</li> <li>Towing hook</li> </ul>	 <p>बडिगाड गाउँपालिका गाउँ कार्यपालिकाको कार्यालय गण्डकी प्रदेश, नेपाल</p>
15	Pay Load	Not less than <b>900 kg.</b>	
16	Fuel Tank	Not less than <b>50 Liters.</b>	
17	Essential	1.Head light, tail and rear light, reversing light and	

*[Handwritten signature]*

## Technical Specifications for Motorcycle 150 (±1)cc

S.N.	CRITERIA	REQUIREMENT	OFFERED SPECIFICATI ON
1.	General	Motorcycle suitable for normal and rough road driving in Nepal at an altitude up to 2000 m and in ambient temperature -5 to 50 degree centigrade. Kerb Vehicle Weight shall not be less than 130 kg and shall have seating capacity for at least 2 passenger including driver. Fuel Tank Capacity should not be less than 12 Litre.	Manufacture: Model: Country of Origin:
2.	Engine	4-stroke,single cylinder,SI Engine, air cooled, 150 (±1)cc, petrol engine, developing maximum rated power output not less than 12 bhp at governed RPM & Torque not less than 12 Nm, shall fully equipped with accessories for efficient full load operation of the Motorcycle.	
3.	Emission Standard	The emission standard of the vehicle should be of <b>Nepal Vehicle Mass Emission Standard - 2069</b> which is to be certified by <b>Department of Transport Management, Nepal.</b>	
4.	Gauges	To include speedometer, fuel etc as necessary for efficient operation and maintenance.	
5.	Clutch	Multi plate wet plate	
6.	Transmission	<b>Manual shift at least 4 forward</b>	
7.	Ground clearance	<b>High Ground clearance preferred, minimum 150 mm.</b>	
8.	Suspension	<b>Front - Telescopic hydraulic shock absorbers</b> <b>Rear- Swing arm/Spring loaded Hydraulic shock/Monoshock/Nitrox Shock</b>	
9.	Tires	<b>Standard Size, factory fitted tubeless</b>	
10.	Starting	kick or Self starter or both kick/Self starter	
11.	Brake	<b>Front: Disc; Rear: Disc or Drum</b>	
12.	Wheel Base	Not less than 1200mm	
13.	Chassis frame	Steel, heavy duty	
14.	Essential Accessories	1. Head light, tail and rear light, 2. Turn signal 3. Speedometer	
15.	Instruction	All signs and instructions in the vehicle shall be in English	
16.	Manuals	Copy of the Operator's and Owner's Instructions in English shall be supplied with each vehicle	
17.	Color	Standard color	
18.	Proven performance	The motor cycle offered shall be standard production by manufacturer and should be current model..	
19.	Warranty	Manufacturer shall provide a <b>minimum of Two year warranty after acceptance</b>	
20.	Delivery	<b>Five units</b> of motorcycle shall be delivered to: <b>Office of the Rural Municipal Executive</b> <b>Badigad Municipality, Gwalichour, Baglung</b> <b>Gandaki Province, Nepal</b>	
21.	After Sales Services	<b>Atleast Five(5) times</b> free service coupon after delivery	

**Note:**

- a) The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid.

Name : Samina Pun  
Mechanical Engineer